

## imageCLASS MF419dw/MF416dw MF414dw

All-in-One, Wireless, Duplex, Laser Printers PRINT | SCAN | COPY | FAX

# **REVOLUTIONIZE TODAY'S WORKSPACE**

- Easily connect your mobile devices without a router using Wi-Fi® Direct Connection.\*
- Print at speeds of up to **35 pages per minute**,\*\* with your first print in your hands in less than **7 seconds**.\*\*\*
- Print on-the-go with Canon PRINT Business,<sup>†</sup> Apple<sup>®</sup>
   AirPrint<sup>®</sup>,<sup>††</sup> Mopria<sup>™</sup> Print Service,<sup>†††</sup> and Google Cloud Print<sup>™</sup>.<sup>▲</sup>
- Seamlessly navigate through all the features with the userfriendly **3.5-inch**, **Color**, **Touch-Panel LCD**.
- Touch and print with Near Field Communication (NFC)<sup>▲</sup> using your compatible mobile Android device (MF416dw only).
- Legal-sized platen glass accommodates your diverse scanning and copying needs (MF419dw only).
- Supports host-based UFR II, PCL 6, and Adobe<sup>®</sup> PostScript<sup>®</sup> (MF419dw/MF416dw only) languages to provide printing versatility.
- Secure Print helps protect the privacy of your printed documents.
- Password-protected **Department ID** feature monitors and controls device usage for up to 300 IDs.
- Easily print from, and scan to, your **USB flash drive** in JPEG, TIFF, and PDF formats.
- Eco-friendly, all mode, **two-sided printing** out of the box saves paper and related costs.
- Generous, expandable paper capacity allows for up to 1,050 sheets<sup>\*\*\*</sup> (MF419dw) and 800 sheets<sup>\*\*\*</sup> (MF416dw/MF414dw).
- Low energy consumption; uses just 2.2 W or less.









0

MF414dw shown



mil

Canon

MF419dw shown

# ADVANCED TECHNOLOGIES FOR YOUR OFFICE

#### Print On-The-Go

Print a variety of file types, Web pages, and images on-the-go with **Canon PRINT Business**,<sup>†</sup> **Apple AirPrint**,<sup>††</sup> **Mopria Print Service**,<sup>†††</sup> and **Google Cloud Print**<sup>▲</sup> using your compatible mobile device. You can also scan hardcopy originals using Canon PRINT Business. For more information on Canon supported apps and compatibility, please visit https://www.usa.canon.com/mobile-app.





#### Secure Print

The imageCLASS MF400 Series features Secure Print to help protect the privacy of your printed documents and keep them in the right hands.




#### Touch and Print

Near Field Communication (NFC)<sup>▲▲</sup> allows you to easily "touch-and-print" to the MF416dw using your compatible mobile Android device.

#### Department ID Management

The imageCLASS MF400 Series features password-protected Department ID Management. To help reduce costs, device

usage can be monitored and controlled for up to 300 IDs.



### **Environmentally Conscious**

Help decrease power consumption and energy costs with Canon's efficient Energy Saving mode. In this mode, the MF400 Series uses 2.2 watts of energy or less and meets ENERGY STAR<sup>®</sup> guidelines.

### Generation Green

The MF400 Series is part of Canon's Generation Green Program, which highlights the company's commitment to sustainability. Learn more at www.usa.canon.com/green.

#### Color, Touch-Panel LCD

The intuitive, 3.5-inch, color, touch-panel LCD allows you to navigate through the menu seamlessly. The user-friendly wide screen and color display are easy to read, helping you to complete tasks more quickly.



MF419dw shown

- \* Wi-Fi® is a registered trademark of the Wi-Fi Alliance®. The Wi-Fi CERTIFIED™ Logo is a certification mark of the Wi-Fi Alliance®.
- \*\* Print speed is based on internal testing. Print speed may vary depending on the number of copies selected as well as the settings for size, type, and orientation of paper.
- \*\*\* May vary depending on the output environment.
  \* Canon PRINT Business is a free app available on the App Store<sup>®</sup> and Google Play<sup>™</sup> Store. For more
- information, including compatibility, please visit https://www.asa.conn.com/mobile-app. Users of Canon Mobile Printing can simply update the app to use Canon PRINT Business; users who have installed Canon Mobile Scanning for Business should install Canon PRINT Business on their compatible device. After Canon PRINT Business is installed, users can re-register their Canon Mobile Scanning for Business device list and local documents.
- <sup>++</sup> Apple AirPrint functionality requires an iPad, iPad Mini, iPad 2, the new iPad, iPhone 3GS or later, or iPod touch 3rd generation or later device running iOS 7.0 - 8.0 or later, and an AirPrint-enabled printer connected to the same network as your iOS device. A printer connected to the USB port of your Mac, PC, AirPort Base Station, or Time Capsule is not supported.
- \*\*\* Mopria Print Service, available free at the Google Play Store, requires a compatible Android 4.0 or later smartphone or tablet. The printer must be either wirelessly connected to the network router or with an Ethernet cable. The mobile device and printer must be connected to the same network.
- ▲ Google Cloud Print requires an Internet connection and Google Account. Printer firmware update may be necessary for Google Cloud Print function. Certain exceptions may apply. A PC running Windows XP or later or a Mac running OS 10.4.11 or later and USB cable are required to perform firmware update.
- Requires an Android mobile device with NFC hardware running Android 4.0 or later and the Canon Print Business app, available for free at Google Play. Canon PRINT Business app must be open to use tap and print functionality.
- AAA Based on 20 lb. Bond paper

FEATURES	imageCLASS MF419dw	imageCLASS MF416dw	imageCLASS MF414dw	
		BASIC SPECIFICATIONS		
Functions		Print/Scan/Copy/Fax		
Replaces	New	MF6180dw	MF6160dw	
Print Speeds		Up to 17 ppm** (2-sided, plain paper, Letter) Up to 35 ppm** (1-sided, plain paper, Letter)		
default print mode: 2-sided)	Up to 35 ppm** (1-sided, plain paper, Letter)			
Connectivity		USB Device 2.0 Hi-Speed, 10/100/1000Base-T Ethernet (Network), Wi-Fi 802.11 b/g/n		
Operating Systems	Windows <sup>®</sup> 10/8.1/8/7, Windows Vista <sup>®</sup> , Windows Server <sup>®</sup> 2012 R2/2012/2008 R2/2008/2003 R2/2003; Mac OS 10.6 and Up; Drivers Available For Download From <b>www.usa.canon.com/support</b>			
	PAPER HANDLING			
	Up to 500 Sheets;	Lin to 250 Shoots	to 24 lb Road (plain paper)	
Standard Cassette	16 to 34 lb Bond (plain paper) Letter Legal	Letter Legal A4 A5	to 34 lb. Bond (plain paper); ' B5, Statement, Executive	
	A4, A5, ** B5, Statement, Executive			
Multipurpose Tray	Up to 50 Sheets;*** 16 to 43 lb. Bond (plain paper); Letter, Legal, A4, A5,** B5, Statement, Executive			
Optional Cassette	Up to 500 Sheets;*** 16 to 34 lb. Bond (plain paper); Letter, Legal, A4, A5,*** B5, Statement, Executive			
Platen Glass Size	Up to 8.5" x 14"	Up to	8.5" x 11"	
Duplex Automatic Document Feeder		Up to 50 Sheets		
Output Tray		150 Sheets (face-down)		
Duplex		Print/Scan/Copy/Fax		
Duty Cycle		Up to 50,000 Pages Per Month		
Security	IP/MAC Address Filtering H		(anagement (up to 300 IDs)	
Jecuity	IP/MAC Address Filtering, HTTPS, SNMPv3, IEEE 802.1x, Department ID Management (up to 300 IDs) PRINTER SPECIFICATIONS			
First Drivt Time				
First-Print Time	Less than 7 Seconds (Letter)***			
Printer Language	UFR II/PCL 6 (5c, XL)/Adobe® PostScript® UFR II/PCL 6 (5c, XL)			
Print Resolution	Up to 600 x 600 dpi, 1200 x 1200 dpi Quality			
Print Features	Print from USB Flash Drive (JPEG, TI	FF, PDF), Print Modes (Poster, Booklet, Water	mark, Toner Saver, Page Composer)	
Print Memory	1 GB (Shared)			
Mobile Print	Canon PRINT Business,† Apple AirPrint,†† Mopria Print Service,††† Google Cloud Print▲			
	COPIER SPECIFICATIONS			
First-Copy Time	10 Seconds or Less (Letter)			
Copy Resolution	Up to 600 x 600 dpi			
Halftones	256 Levels			
Maximum No. of Copies	Up to 999 Copies			
Copy Features	Zoom 25%-400%, Frame Erase, Collate, 2-on-1, 4-on-1, ID Card Copy, Copy Modes: Text, Photo, Text/Photo			
		SCANNER SPECIFICATIONS	, . ,	
Scan Type	Color Contact Image Sensor (CIS); 24-bit Color Depth; TWAIN and WIA Compatible			
Scan Speed	Color/Black: Approx. 7/3 Seconds Per Sheet •			
Scan Resolution	Up to 600 x 600 dpi (optical); Up to 9600 x 9600 (software interpolated resolution)			
Output File Formats	PDF, PDF (Compact), PDF (OCR), JPEG, TIFF			
Scan Features				
Scan-to-E-mail	Push (Scan-to-PC) and Pull Scan, Scan-to-USB Flash Drive (PDF, JPEG, TIFF)			
	Yes			
Scan-to-Folder		Yes		
		FAX SPECIFICATIONS		
Modem Speed	Up to 33.6 Kbps (Super G3)**			
Fax Resolution	Up to 406 x 391 dpi (ultra-fine)			
Fax Memory	Up to 512 Sheets •••			
Speed Dialing	19 One-Touch Speed Dials (Favorites), 262 Coded Dials			
Group Dialing	199 Destinations			
Sequential Broadcasting	310 Destinations			
PC Fax	Yes (TX only)			
Fax Features	Fax-Forwarding, Dual Access, Remote Reception, PC Fax (TX only), Distinctive Ring Pattern Detection, Error Correction Mode,			
axicalules	Auto Redial, Fax Activity/Result Management Reports			
		GENERAL SPECIFICATIONS		
Dimensions	17.8" (W) x 18.7" (D) x 18.4" (H)	15.4" (W) x 18	.7" (D) x 17" (H)	
Weight (without/with cartridge)	45.5/47.2 lb.	40.6/	42.4 lb.	
Package Weight	60.4 lb.	,	6 lb.	
Varranty		ar Limited Exchange/Carry-in <sup>•</sup> (Extended war		
		ENVIRONMENTAL SPECIFICATIONS	,	
Typical Energy Consumption (TEC)		1.2 kWh		
	Operation: 600 W; Standby: 9.1 W	Operation: 600	M: Standby: 9 W	
Power Consumption	Energy Saver: 1.9 W	Energy Sa		
Noise Level **	÷,	or Less (sound power); <b>Standby:</b> Inaudible (sou		
ENERGY STAR®	operation. 35 db (sound pressure), 70.0 db	Yes	ind pressure), 55 db or Less (sound power)	
EDEAT	Silver			
EPEAT				
EPEAT		WHAT COMES IN THE BOX rd Cartridge 119, Power Cord (USB not include		

\*\* Print speed is based on internal testing. Print speed may vary depending on the number of copies selected as well as the settings for size, type, and orientation of paper.

\*\*\* May vary depending on the output environment.

Wireless performance may vary based on terrain/distance between printer and wireless network clients.

A5 paper is supported in Simplex mode only.

Letter-sized, after being restored from Energy Saver mode.

- \* Canon PRINT Business is a free app available on the App Store® and Google Play<sup>™</sup> Store. For more information, including compatibility, please visit https://www.usa.canon.com/mobile-app. Users of Canon Mobile Printing can simply update the app to use Canon PRINT Business; users who have installed Canon Mobile Scanning for Business should install Canon PRINT Business on their compatible device. After Canon PRINT Business is installed, users can re-register their Canon Mobile Scanning for Business device list and local documents.
- <sup>11</sup> Apple AirPrint functionality requires an iPad, iPad Mini, iPad 2, the new Pad, iPhone 3GS or later, or iPod touch 3rd generation or later device running iOS 20-80 or later, and an AirPrint-enabled printer connected to the same network as your iOS device. A printer connected to the USB port of your Mac, PC, AirPort Base Station, or Time Capsule is not supported.

 <sup>+++</sup> Mopria Print Service, available free at the Google Play Store, requires a compatible Android 4.0 or later smartphone or tablet. The printer must be either wirelessly connected to the network router or with an Ethernet cable. The mobile device and printer must be connected to the same network.
 <sup>A</sup> Google Cloud Print requires an Internet connection and Google Account. Printer firmware update may be necessary for Google Cloud Print function. Certain exceptions may apply. A PC running Windows XP or later or a Mac running OS 10.4.11 or later and USB cable are required to perform firmware update. AAA Based on 20 lb. Bond paper.

Based on Letter-sized scanning at 300 x 300 dpi.


The Public Switched Telephone Network currently supports fax modem speeds of 28.8 Kbps or lower, depending on telephone line conditions. Sending and receiving fax machines need to conform to ITU-T v34 guidelines.

••• Based on ITU-T #1 Chart (standard mode).

 Warranty program is subject to certain conditions and restrictions. See warranty card for details. ++ Declared noise emission in accordance with ISO 9296.

3

## imageCLASS M F 4 」 9 d w / M F 4 」 6 d w M F 4 」 4 d w



#### imageCLASS MF400 Series and Accessories

imageCLASS MF419dw	0291C006
imageCLASS MF416dw	0291C018
imageCLASS MF414dw	0291C020
Cartridge 119 (full-yield cartridge; 2,100 sheets; ISO/IEC Standard)	3479B001
Cartridge 119 II (high-yield cartridge; 6,400 sheets; ISO/IEC Standard)	3480B001
MF419dw	
Cassette Feeding Unit-U1 (500-sheet optional Paper Cassette)	0732A023
MF416dw/MF414dw	
Paper Feeder PF-44 (500-sheet optional Paper Cassette)	3439B001

#### MF419dw, Exchange/Carry-In eCarePAKs

Tier 4E One-Year eCarePAK	5707B050
Tier 4E Two-Year eCarePAK	5707B051
Tier 4E Three-Year eCarePAK	5707B052
Tier 4E Four-Year eCarePAK	5707B053
MF416dw, Exchange/Carry-In eCarePAKs	
Tier 3E One-Year eCarePAK	5707B046
Tier 3E Two-Year eCarePAK	5707B047
Tier 3E Three-Year eCarePAK	5707B048
Tier 3E Four-Year eCarePAK	5707B049
MF414dw, Exchange/Carry-In eCarePAKs	
Tier 2E One-Year eCarePAK	5707B042
Tier 2E Two-Year eCarePAK	5707B043
Tier 2E Three-Year eCarePAK	5707B044
Tier 2E Four-Year eCarePAK	5707B045



As an ENERGY STAR partner, Canon U.S.A., Inc. has qualified these models as meeting the ENERGY STAR energy efficiency criteria through an EPA recognized certification body. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. Android is a trademark of Google Inc. App Store is a service mark of Apple Inc. iPhone, iPad Air, iPad, iPad mini are trademarks of Apple Inc. registered in the U.S. and other countries. IOS is a trademark or registered trademark of Cisco in the United States and other countries and is used under license. Canon, imageCLASS, and the Super G3 logo are registered trademarks and the GENUINE logo is a trademark of Canon Inc. in the United States and may also be registered trademarks or trademarks in other countries. All other referenced product names and marks are trademarks of their respective owners. Specifications and availability subject to change without notice. Not responsible for typographical errors. @2016 Canon U.S.A., Inc. All rights reserved.

0199W776 0416-MF400SERIES-5M-DSP



SEE IMPOSSIBLE