

# VIVID PROSPECTS VIBRANT POSSIBILITIES

SUCCEED IN A SEA OF VERSATILE FUNCTIONS



MF735Cx





# TAKE MORE TASKS TO COMPLETION WITH EASIER AND FASTER PRINTING

Boost everyday work productivity with vibrant quality and easy-to-use functions. Canon imageCLASS MF635Cx and MF735Cx printers combine the new V<sup>2</sup> Colour Technology with a suite of features that complements your work. Efficient in performance, designed with your convenience in mind.



MF635Cx

## PROFESSIONAL EFFICIENCY




### EASE AT EVERY TOUCH

Navigating your MF635Cx and MF735Cx is much easier now with the vari-angle 5-inch colour touchscreen LCD. The intuitive user interface makes tasks such as copying and scanning effortless, each function is now just a tap away.



### RAPID SCANNING

The single-pass Duplex Auto Document Feeder (DADF) consists of two Contact Image Sensors (CIS), allowing both sides of the document to be scanned simultaneously. This maximises scanning efficiency without any compromise in scan quality.



### APPLICATIONS FOR MAXIMUM EFFICIENCY

The MF635Cx and MF735Cx feature an Application Library packed with innovations to help you work smarter and more efficiently than ever. With the customisable options, you can store and print frequently-used forms directly from the device, or distribute your documents electronically to pre-set destinations with just a tap of the button, helping you save time from your daily work routines.



### PRINT WHEREVER YOU GO

Take multi-tasking to the next level with mobile printing. You can print directly from your mobile phones or tablets with applications such as Canon PRINT Business, Apple® AirPrint®, Google Cloud Print™, Mopria®, and Canon Print Service. Simply choose an application that best fits your needs.



### SEAMLESS INTEGRATION WITH UNIFLOW

uniFLOW is a print management software for all your print, scan, and device management, designed to bring the full value of multi-functional devices to the organisation. The MF635Cx and MF735Cx can integrate seamlessly into your uniFLOW print environment.



### PRODUCTIVITY AT TOP SPEED

Get your documents printed and ready to present in no time. MF635Cx does it in 12 seconds or less, with fast print speeds of 18ppm. The MF735Cx goes a notch higher with impressive print speeds of 27ppm, with the first printout in less than 8.6 seconds.

## COLOURFUL PERFORMANCE

### V<sup>2</sup> COLOUR

#### VIVID & VIBRANT PRINTOUTS

All-new V<sup>2</sup> Colour Technology effectively produces visually stunning images and expands the colour reproduction range for prints. Expect excellent clarity and visual sharpness that command attention and leave an impactful impression during your business presentations.

## FRIENDLY MAINTENANCE



### FREE OF HASSLE


Canon All-in-One toner cartridge ensures print quality with low maintenance by integrating the photosensitive drum, cleaning unit and toner reservoir into a single cartridge. The auto toner seal removal system eliminates the need to remove the seal manually, making cartridge replacements easier than before.

## ECO-SAVINGS



### DUPLEX PRINTING

Print more with less using the built-in Duplex on your office printer. This function enables double-sided prints with flexible layout options, cleverly cutting down paper usage and increasing savings.



## SPECIFICATIONS

		MF635Cx	MF735Cx
<b>PRINT</b>			
Printing Method		Colour Laser Beam Printing	
Print Speed	A4	Up to 18 / 18 ppm (Mono/Colour)	Up to 27 / 27 ppm (Mono/Colour)
	Letter	Up to 19 / 19 ppm (Mono/Colour)	Up to 28 / 28 ppm (Mono/Colour)
Print Resolution		600 x 600 dpi	
Print Quality with Image Refinement Technology		1,200 x 1,200 dpi (equivalent), 9,600 (equivalent) x 600 dpi	
Warm up Time (From Power On)		13.0 sec or less	
First Printout Time (FPOT)	A4	Approx. 10.9 / 12.0 sec (Mono/Colour)	Approx. 8.3 / 8.6 sec (Mono/Colour)
	Letter	Approx. 10.7 / 11.9 sec (Mono/Colour)	Approx. 8.1 / 8.5 sec (Mono/Colour)
Recovery Time (From Sleep Mode)		Approx. 6.1 sec	
Print Language		UFR II, PCL 6, Adobe® PostScript® 3™	
Auto Duplex Print		Standard	
Available Paper Size for Auto Duplex Print		A4, B5, Letter, Legal <sup>(1)</sup> , Executive, Foolscap, Indian Legal	
Direct Print		Supported File Format: JPEG, TIFF, PDF	
Print Margins		5 mm - top, bottom, left and right (Envelope: 10 mm)	
Print Features		Poster, Booklet, Watermark, Page Composer, Toner Saver	
<b>COPY</b>			
Copy Speed	A4	Up to 18 / 18 ppm (Mono/Colour)	Up to 27 / 27 ppm (Mono/Colour)
	Letter	Up to 19 / 19 ppm (Mono/Colour)	Up to 28 / 28 ppm (Mono/Colour)
Copy Resolution		600 x 600 dpi	
First Copy Time (FCOT)	A4	Approx. 12.0 / 14.0 sec (Mono/Colour)	Approx. 9.8 / 11.3 sec (Mono/Colour)
	Letter	Approx. 11.7 / 13.8 sec (Mono/Colour)	Approx. 9.5 / 11.1 sec (Mono/Colour)
Maximum Number of Copies		Up to 999 copies	
Reduce/Enlargement		25 - 400% in 1% increments	
Copy Features		Frame Erase, Memory Sort, 2 on 1, 4 on 1, ID Card Copy	
<b>SCAN</b>			
Scan Type		Colour Contact Image Sensor	
Scan Resolution	Optical	Up to 600 x 600 dpi	
	Driver Enhanced	Up to 9,600 x 9,600 dpi	
Color Depth		24-bit	
Duplex Scan		Yes	
Pull Scan		Yes, USB and Network	
Push Scan (Scan To PC) with MF Scan Utility		Yes, USB and Network	
Scan to USB (via USB Host 2.0)		Yes	
Scan Driver Compatibility		TWAIN, WIA, ICA	
Scan Speed <sup>(2)</sup>		1-Sided: 27 pages/minute (mono), 14 pages/minute (colour), 2-Sided: 50 pages/minute (mono), 27 pages/minute (colour)	
Scan to Cloud		Yes, via MF Scan Utility	
<b>SEND</b>			
Sending Method		SMB, Email, FTP, iFAX	
Color Mode		Full Colour, Monochrome	
Scan Resolution		300 x 300 dpi, 200 x 200 dpi	
File Format		JPEG, TIFF, PDF, Compact PDF, PDF (OCR)	
<b>FAX</b>			
Modem Speed		Up to 33.6 Kbps	
Fax Resolution		Up to 406 x 391 dpi	
Compression Method		MH, MR, MMR, JBIG	
Memory Capacity <sup>(3)</sup>		Up to 512 pages	
Favourite Dials (in address book)		19 dials	
Speed Dial (Coded Dial)		Up to 281 dials	
Group dials / Destinations		Max 199 dials/destinations	
Sequential Broadcast		Max 310 destinations	
Duplex Fax (Transmission)		Yes	
Receive Mode		Fax Only, Manual, Answering, Fax/Tel Auto Switch	
Memory Backup		Permanent fax memory backup	
Fax Features		Fax Forwarding, Dual Access, Remote Reception, PC Fax (Transmission only), DRPD, ECM, Auto Redial, Fax Activity Reports, Fax Activity Result Reports, Fax Activity Management Reports	



# SPECIFICATIONS

## MF635Cx

## MF735Cx

PAPER HANDLING		50 sheets (80 g/m <sup>2</sup> )	
Duplex Auto Document Feeder (DAF)		Available Paper Size for ADF	
		A4, B5, A5, B6, Letter, Legal <sup>(*)</sup> , Statement, Custom Size (min. 105 x 128 mm to max. 215.9 x 355.6 mm)	
Paper Input	Cassette	150 sheets	250 sheets
	Multi-Purpose Tray	1 sheet	50 sheet
	Maximum	151 sheets	850 sheets
Paper Output		100 sheets (face down)	150 sheets (face down)
Paper Size	Cassette	A4, B5, A5, Legal <sup>(*)</sup> , Letter, Statement, Executive, Foolscape, Indian Legal Custom Size (min. 100 x 148 mm to max. 215.9 x 355.6 mm)	
	Multi-Purpose Tray	A4, B5, A5, Legal <sup>(*)</sup> , Letter, Statement, Executive, Foolscape, Indian Legal, Index Card Envelope: COM10, Monarch, C5, DL Custom Size (min. 76.2 x 127 mm to max. 215.9 x 355.6 mm)	A4, B5, A5, Legal <sup>(*)</sup> , Letter, Statement, Executive, Foolscape, Indian Legal Envelope: COM10, C5, DL Custom Size (min. 76.2 x 127 mm to max. 215.9 x 355.6 mm)
Paper Types		Thin, Plain, Recycled, Heavy, Colour, Glossy, Postcard, Envelope	
Paper Weight	Cassette	52 to 163 g/m <sup>2</sup> (Glossy: up to 200 g/m <sup>2</sup> )	
	Multi-Purpose Tray	52 to 163 g/m <sup>2</sup> (Glossy: up to 200 g/m <sup>2</sup> )	60 to 163 g/m <sup>2</sup> (Glossy: up to 200 g/m <sup>2</sup> )
CONNECTIVITY & SOFTWARE			
Standard Interface	Wired	USB 2.0 High Speed, 10Base-T/100Base-TX/1000Base-T	
	Wireless	Wi-Fi 802.11b/g/n (Infrastructure mode, WPS easy Setup, Direct Connection)	
Near Field Communication (NFC)		N/A	Yes (Passive)
Network Protocol	Print	LPD, RAW, WSD-Print (IPv4, IPv6)	
	Scan	Email, SMB, WSD-Scan (IPv4, IPv6), FTP-Scan, iFAX	
	TCP/IP Application Services	Bonjour(mDNS), HTTP, HTTPS, DHCP, ARP+PING, Auto IP WINS (IPv4), DHCPv6 (IPv6)	Bonjour(mDNS), HTTP, HTTPS, POP before SMTP (IPv4, IPv6), DHCP, ARP+PING, Auto IP WINS (IPv4), DHCPv6 (IPv6)
	Management	SNMPv1, SNMPv3 (IPv4, IPv6)	
Network Security	Wired	IP/Mac address filtering, SNMPv3, SSL (HTTPS/IPPS), IEEE802.1x	
	Wireless	WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (AES)	
One-Push Wireless Configuration		Wi-Fi Protected Setup (WPS)	
Other Features		Department ID, Secure Print	
Mobile Solution		Canon PRINT Business, Apple® AirPrint®, Mopria® Print Service, Google Cloud Print™, Canon Print Service, Windows® 10 Mobile Print	
Address Book		LDAP	
Compatible Operating Systems <sup>(4)</sup>		Windows® 10, Windows® 8.1, Windows® 8, Windows® 7, Windows Server® 2016, Windows Server® 2012R2, Windows Server® 2012, Windows Server® 2008 R2, Windows Server® 2008, Mac® OS X 10.7.5 & up <sup>(5)</sup> , Linux <sup>(5)</sup>	
Software Included		Printer driver, Fax driver, Scanner driver, MF Scan Utility, Toner Status	
GENERAL			
Device Memory		1 GB RAM	
LCD Display		WVGA Color LCD 5.0" Touch Screen Display	
Dimensions (W x D x H)		451 x 460 x 400 mm	471 x 469 x 460 mm
Weight		22.0 kg (with cartridges), 20.0 kg (without cartridges)	26.5 kg (with cartridges), 24.5 kg (without cartridges)
Power Consumption (Maximum)		850 W or less	1,400 W or less
Power Consumption (Average; During Operation)		Approx. 350 W	Approx. 560 W
Power Consumption (Average; During Standby)		Approx. 13.6 W	Approx. 17.7 W
Power Consumption (Average; During Sleep)		Approx. 0.94 W (USB/wired), approx. 0.98 W (wireless)	Approx. 0.8 W (USB/wired/wireless)
Noise Levels <sup>(6)</sup>	During Operation	Sound Pressure Level: 49 dB, Sound Power Level: 6.4 B	Sound Pressure Level: 48 dB, Sound Power Level: 6.2 B
	During Standby	Sound Pressure Level: Inaudible, Sound Power Level: Inaudible	Sound Pressure Level: 29 dB, Sound Power Level: 4.2 B
Operating Environment	Temperature	10 - 30°C	
	Humidity	20% - 80% RH (no condensation)	
Power Requirements		AC 220 - 240 V(+/- 10%), 50/60 Hz(+/- 2 Hz)	
Toner Cartridge <sup>(7)</sup>	Standard	Cartridge 045 BK: 1,400 pages (bundled: 1,400 pages) Cartridge 045 C/M/Y: 1,300 pages (bundled: 690 pages)	Cartridge 046 BK: 2,200 pages (bundled: 2,200 pages) Cartridge 046 C/M/Y: 2,300 pages (bundled: 1,200 pages)
	High	Cartridge 045H BK: 2,800 pages Cartridge 045H C/M/Y: 2,200 pages	Cartridge 046H BK: 6,300 pages Cartridge 046H C/M/Y: 5,000 pages
Monthly Duty Cycle <sup>(8)</sup>		30,000 pages	50,000 pages
OPTIONAL ACCESSORIES			
Cassette Unit-AF1	Paper Capacity	550 sheets	
	Paper Size	A4, B5, A5, Legal <sup>(*)</sup> , Letter, Statement, Executive, Foolscape, Indian Legal Custom Size (min. 100 x 148 mm to max. 215.9 x 355.6 mm)	
	Paper Weight	52 to 163 g/m <sup>2</sup> (Glossy: up to 200 g/m <sup>2</sup> )	
Barcode Printing		Barcode Printing Kit-E1	
Attachment Kit for NT-Ware Mi-Card Reader		Mi-Card Attachment Kit-B1	

\* 1 Legal size refers to paper size measuring 215.9 x 355.6 mm (8.5 x 14 inch)

\* 2 Speed of scanning via the document feeder, A4 size, scan resolution 300 x 300 dpi

\* 3 Based on ITU-T #1 Chart (standard mode)

\* 4 ScanGear is not available for Windows Server 2008/2012.

\* 5 Drivers for Mac OS can be downloaded from [www.canon-asia.com](http://www.canon-asia.com) website when available.

\* Only the print function is supported for Linux. The latest drivers for Linux can be downloaded from [www.canon-asia.com](http://www.canon-asia.com) website when available.

\* 6 Tested in accordance to ISO 7779 and declared per ISO 9296

\* 7 Toner cartridge yield is in accordance with ISO/IEC 19798

\* 8 Monthly Duty Cycle value provides a means of comparison for product robustness in relation to other Canon laser printers. It does not refer to actual maximum image output per month.

# Canon

Delighting You Always

## South & Southeast Asia Regional Headquarters

### Canon Singapore Pte. Ltd.

1 Fusionopolis Place,  
#15-10, Galaxis,  
Singapore 138522  
Tel: 65-6799 8888  
Fax: 65-6799 8882  
[www.canon-asia.com](http://www.canon-asia.com)

## CANON OFFICES

**HONG KONG**  
Canon Hongkong Co., Ltd.  
Tel: 852-3191 2388  
Fax: 852-2369 3800  
[www.canon.com.hk](http://www.canon.com.hk)

**INDIA**  
Canon India Pvt Ltd.  
Tel: 91-124 416 0000  
Fax: 91-124 416 0011  
[www.canon.co.in](http://www.canon.co.in)

**MALAYSIA**  
Canon Marketing (Malaysia) Sdn. Bhd.  
Tel: 60-3 7844 6000  
Fax: 60-3 7845 0505  
[www.canon.com.my](http://www.canon.com.my)

**PHILIPPINES**  
Canon Marketing (Philippines), Inc.  
Tel: 632-884 9090  
Fax: 632-556 1456  
[www.canon.com.ph](http://www.canon.com.ph)

**SINGAPORE**  
Canon Singapore Pte. Ltd.  
Tel: 65-6799 8888  
Fax: 65-6799 8882  
[www.canon.com.sg](http://www.canon.com.sg)

**THAILAND**  
Canon Marketing (Thailand) Co. Ltd.  
Tel: 66-2 344 9999  
Fax: 66-2 344 9960  
[www.canon.co.th](http://www.canon.co.th)

**VIETNAM**  
Canon Marketing Vietnam Co. Ltd.  
Tel: 84-8 3820 0466  
Fax: 84-8 3820 0477  
[www.canon.com.vn](http://www.canon.com.vn)

## CANON BUSINESS PARTNERS

**AFGHANISTAN**  
Megaplus Afghanistan Ltd.  
Tel: 93 700 228 832 / 700 979 511  
Fax: 93 20 220 1259  
Email: [info@megaplus.com.af](mailto:info@megaplus.com.af)

**BANGLADESH**  
J.A.N Associates Ltd.  
Tel: 880-2-966-0601  
Fax: 880-2-861-0410  
[www.jan-bd.com](http://www.jan-bd.com)

**BRUNEI**  
Interhouse Company  
Tel: 673-2-653001  
Fax: 673-2-653003  
[www.ihc.com.bn](http://www.ihc.com.bn)

**CAMBODIA**  
I-Click Marketing Co., Ltd.  
Tel: 855-23-996638  
Fax: 855-23-996639  
[www.i-click.com](http://www.i-click.com)

**Royal Cambodia Co. Ltd.**  
Tel: 855-23-428955  
Fax: 855-23-722961  
[www.royalcambodia.com.kh](http://www.royalcambodia.com.kh)

**INDONESIA**  
PT. Samatiro  
Tel: 62-21 345 5521  
Fax: 62-21 384 4271  
[www.samatiro.co.id](http://www.samatiro.co.id)

**MALDIVES**  
SIMDI Company (Pvt) Ltd.  
Tel: 960 - 3334421  
Fax: 960 - 3334424  
[www.simdi.com](http://www.simdi.com)

**MONGOLIA**  
ITZone  
Tel: 976-11-323705  
Fax: 976-11-312699  
[www.itzone.mn/en](http://www.itzone.mn/en)

**MYANMAR**  
Myanmar Golden Rock International Co., Ltd.  
Tel: 95-1 654810 to 19 (10 Lines)  
Fax: 95-1 654820  
Email: [sales@mgr.com.mm](mailto:sales@mgr.com.mm)

**NEPAL**  
International Electronics Concern (P) Ltd.  
Tel: 977-1 4421991  
Fax: 977-1 4421909  
[www.iec.com.np](http://www.iec.com.np)

**PAKISTAN**  
Shirazi Trading Company (Pvt.) Limited  
Tel: 92-21-3241 (7659), (7737) or (7746)  
Fax: 92-21-(3241 7747), (3242 0417) or (3242 0418)  
[www.shirazitrading.com.pk](http://www.shirazitrading.com.pk)

**SRI LANKA**  
Metropolitan Office (Pvt) Ltd.  
Tel: 94-11 470 0200  
Fax: 94-11 470 0267  
[www.metropolitan.lk](http://www.metropolitan.lk)

Dealer's Stamp

0207W510 © 2017 Canon Singapore Pte. Ltd. All rights reserved.

This document is for information purpose only and the contents are subject to change without notice. Product options, name and availability may vary by regions. Nothing in this document should be construed as a warranty. We expressly disclaim any liability or contractual obligations with respect to this document. Canon, imageCLASS, Business Can Be Simple and Canon PRINT Business App are trademarks of Canon Inc. and/or its affiliates. Other names may be the trademarks for their respective owners.